


## Overview

---

The Yamaha MY16-CII is an optional CobraNet interface card for compatible Yamaha digital mixing consoles and signal processors. It support 16 input channels and 16 output channels of uncompressed CobraNet format digital audio.



## Features

---

- 24bit resolution, 16-in/16-out CobraNet™ interface (8-in/8-out at 96kHz)
- 2 x RJ-45 connectors for primary and secondary network connections
- Integrates into any standard CobraNet™ network
- Dimensions: 120mm x 40mm x 200mm (4.7" x 1.6" x 7.9")


## Specifications

---

### General Specifications

Channel Count	16IN / 16OUT
Format	CobraNet
Resolution	24bit
Connector	2 x RJ-45 connectors

## Dimensions



## Architectural and Engineering Specifications

---

The Yamaha MY16-CII shall be an optional CobraNet interface card for compatible Yamaha digital mixing consoles and signal processors. It shall support 16 input channels and 16 output channels of uncompressed CobraNet format digital audio. Two RJ45 connectors shall be provided for network connection. Dimensions shall be 120 (W) x 40 (H) x 200 (D) mm.

\*All information subject to change without notice.

\*All trademarks and registered trademarks are property of their respective owners.

Created in March, 2017

**YAMAHA CORPORATION**  
P.O.BOX 1, Hamamatsu Japan  
[www.yamahaproaudio.com](http://www.yamahaproaudio.com)